

AP20 Rec'd PCT/PTO 25 MAY 2006

UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Ekehard Reinwald
Application Number: Unassigned
Filing Date: Concurrently Herewith
Group Art Unit:
Examiner:

Title: WASHING MACHINE COMPRISING A LAUNDRY TUB

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

INFORMATION DISCLOSURE STATEMENT

Sir:

In accordance with 37 C.F.R. 1.98, I am submitting a completed "INFORMATION DISCLOSURE STATEMENT BY APPLICANT" (*Form PTO/SB/08A*) with patents and/or publications as delineated therein attached.

EP 0 657 575 discloses that a top-class low-noise washing machine (1) with motor operating speeds of 25 to 2,000 revolutions per minute is obtained, with a washing drum (7) arranged horizontally, in that the drive motor (11) mounted on the outside (22) of the tub rear wall (15) drives the washing drum (7) directly as a brushless motor and is surrounded by an insulating cover (13) which is fastened to the tub rear wall (15). By means of the washing machine according to the invention, noise-level values of 47 dB during washing and of 59 dB during spinning can be achieved without any high outlay.

If no translation of pertinent portions of any foreign language patents or publications mentioned within the "INFORMATION DISCLOSURE STATEMENT BY APPLICANT" is included with the aforementioned copies of those applications, patents and/or publications, it is because no existing translation is readily available to the Applicant.

Attorney Docket No. 2003P01783WOUS

AP20 Rec'd P01710 25 MAY 2006

As per the Notice in 1273 OG 55 (August 5, 2003) no copies of any above-mentioned US patents and US patent application publications are submitted for this application which was filed after June 30, 2003.

Respectfully submitted



Craig J. Loest

Registration No. 48,557

May 25, 2006

BSH Home Appliances Corp.
100 Bosch Blvd
New Bern, NC 28562
Phone: 252-672-7930
Fax: 714-845-2807
craig.loest@bshg.com

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.